

1. Find that the number of times Dr. Cheng was cited in the study was not sufficient to be categorized as a frequent citation (10 or more) and that Dr. Cheng was not cited in enough studies to appear on the list of frequent citations (10 or more).
2. The number of studies and statements provided on Dr. Cheng's citation on average 7.
3. The average number of studies and statements provided on Dr. Cheng's citation on average 7. The average number of studies and statements that Dr. Cheng's citation is based on is 7.
4. The average number of studies and statements provided on Dr. Cheng's citation on average 7. The average number of studies and statements that Dr. Cheng's citation is based on is 7.
5. The average number of studies and statements provided on Dr. Cheng's citation on average 7. The average number of studies and statements that Dr. Cheng's citation is based on is 7.
6. The average number of studies and statements provided on Dr. Cheng's citation on average 7. The average number of studies and statements that Dr. Cheng's citation is based on is 7.
7. The average number of studies and statements provided on Dr. Cheng's citation on average 7. The average number of studies and statements that Dr. Cheng's citation is based on is 7.
8. The average number of studies and statements provided on Dr. Cheng's citation on average 7. The average number of studies and statements that Dr. Cheng's citation is based on is 7.
9. The average number of studies and statements provided on Dr. Cheng's citation on average 7. The average number of studies and statements that Dr. Cheng's citation is based on is 7.
10. The average number of studies and statements provided on Dr. Cheng's citation on average 7. The average number of studies and statements that Dr. Cheng's citation is based on is 7.
11. The average number of studies and statements provided on Dr. Cheng's citation on average 7. The average number of studies and statements that Dr. Cheng's citation is based on is 7.

Ref.	PC1	解釋變異	First factor	PL	LS
1	1.00	100%			
2	0.99	98%			
3	0.99	98%			
4	0.99	98%			
5	0.99	98%			
6	0.99	98%			
7	0.99	98%			
8	0.99	98%			
9	0.99	98%			
10	0.99	98%			
11	0.99	98%			
12	0.99	98%			
13	0.99	98%			
14	0.99	98%			
15	0.99	98%			
16	0.99	98%			
17	0.99	98%			
18	0.99	98%			
19	0.99	98%			
20	0.99	98%			
21	0.99	98%			
22	0.99	98%			
23	0.99	98%			
24	0.99	98%			
25	0.99	98%			
26	0.99	98%			
27	0.99	98%			
28	0.99	98%			
29	0.99	98%			
30	0.99	98%			
31	0.99	98%			
32	0.99	98%			
33	0.99	98%			
34	0.99	98%			
35	0.99	98%			
36	0.99	98%			
37	0.99	98%			
38	0.99	98%			
39	0.99	98%			
40	0.99	98%			
41	0.99	98%			
42	0.99	98%			
43	0.99	98%			
44	0.99	98%			
45	0.99	98%			
46	0.99	98%			
47	0.99	98%			
48	0.99	98%			
49	0.99	98%			
50	0.99	98%			
51	0.99	98%			
52	0.99	98%			
53	0.99	98%			
54	0.99	98%			
55	0.99	98%			
56	0.99	98%			
57	0.99	98%			
58	0.99	98%			
59	0.99	98%			
60	0.99	98%			
61	0.99	98%			
62	0.99	98%			
63	0.99	98%			
64	0.99	98%			
65	0.99	98%			
66	0.99	98%			
67	0.99	98%			
68	0.99	98%			
69	0.99	98%			
70	0.99	98%			
71	0.99	98%			
72	0.99	98%			
73	0.99	98%			
74	0.99	98%			
75	0.99	98%			
76	0.99	98%			
77	0.99	98%			
78	0.99	98%			
79	0.99	98%			
80	0.99	98%			
81	0.99	98%			
82	0.99	98%			
83	0.99	98%			
84	0.99	98%			

Hydrock

5-20 Cambridge Road Unit
D1 1J 8W
1. 444 017 7420
• enquiries@hydrock.com

04411
PUNBECK DISTRICT COUNCIL

04411
DORSET INNOVATION PARK

EXISTING DRAINAGE INFRASTRUCTURE AND CONSTRAINTS PLAN [INITIAL ISSUE FOR PRELIM INFO. ONLY]	
HYDROLOGICAL ANAL.	SCALE: @ 1"
C-083773	1:2,000
STATION DATA SHEET	
INFORMATION	
Drawn by: PROJECT ENGINEER	DATE: 11/15/2016
Checked by: PROJECT ENGINEER	DATE: 11/15/2016
PROVIDED	



Dorset Green Tech Park 4

Winfrith Newburgh, Dorchester

Printed on : 29/01/2018 11:15

WATER MAINS	
Public	Private
Raw Water	Abandoned
Valve	Hydrant
SEWERS	Public - Section 104 - Private
Foul	Combined
Surface	Abandoned sewers
OTHER WESSEX PIPES	
Rising Mains	Effluent Disposal Main
Overflow	Non-Wessex Pipes
Private Rising Mains	Covered Water Course
Highway Drain	


Information in this plan is provided for identification purposes only. No warranty as to accuracy is given or implied. The precise route of pipe work may not exactly match that shown. Wessex Water does not accept liability for inaccuracies.

Sewers and lateral drains adopted by Wessex Water under the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011 are to be plotted over time and may not yet be shown.

In carrying out any works, you accept liability for the cost of any repairs to Wessex Water apparatus damaged as a result of your works. You are advised to commence excavations using hand tools only. Mechanical digging equipment should not be used until pipe work has been precisely located.

If you are considering any form of building works and pipe work is shown within the boundary of your property or a property to be purchased (or very close by) a surveyor should plot its exact position prior to commencing works or purchase. Building over or near Wessex Water's apparatus is not normally permitted.

Centre: 381969.22, 86575.82





Dorset Green Tech Park 5

Winfrith Newburgh, Dorchester

Printed on : 29/01/2018 11:16

WATER MAINS	
Public	Private
Raw Water	Abandoned
Valve	Hydrant
SEWERS	Public - Section 104 - Private
Foul	Combined
Surface	Abandoned sewers
OTHER WESSEX PIPES	Rising Mains
Effluent Disposal Main	Overflow
NON-WESSEX PIPES	Private Rising Mains
Culverted Water Course	Highway Drain

Information in this plan is provided for identification purposes only. No warranty as to accuracy is given or implied. The precise route of pipe work may not exactly match that shown. Wessex Water does not accept liability for inaccuracies.


Sewers and lateral drains adopted by Wessex Water under the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011 are to be plotted over time and may not yet be shown.

In carrying out any works, you accept liability for the cost of any repairs to Wessex Water apparatus damaged as a result of your works. You are advised to commence excavations using hand tools only. Mechanical digging equipment should not be used until pipe work has been precisely located.

If you are considering any form of building works and pipe work is shown within the boundary of your property or a property to be purchased (or very close by) a surveyor should plot its exact position prior to commencing works or purchase. Building over or near Wessex Water's apparatus is not normally permitted.

Centre: 382222.03, 86624.63

Scale = 1:1500





Dorset Green Tech Park 6

Winfrith Newburgh, Dorchester

Printed on : 29/01/2018 11:17

WATER MAINS	
Public	Private
Raw Water	Abandoned
Valve	Hydrant
PRV	Meter
SEWERS	
Public - Section 104 - Private	Foul
Combined	Surface
Abandoned sewers	OTHER WESSEX PIPES
Rising Mains	Effluent Disposal Main
Overflow	Non-Wessex Pipes
Private Rising Mains	Culverted Water Course
Highway Drain	

Information in this plan is provided for identification purposes only. No warranty as to accuracy is given or implied. The precise route of pipe work may not exactly match that shown. Wessex Water does not accept liability for inaccuracies.

Sewers and lateral drains adopted by Wessex Water under the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011 are to be plotted over time and may not yet be shown.


In carrying out any works, you accept liability for the cost of any repairs to Wessex Water apparatus damaged as a result of your works. You are advised to commence excavations using hand tools only. Mechanical digging equipment should not be used until pipe work has been precisely located.

If you are considering any form of building works and pipe work is shown within the boundary of your property or a property to be purchased (or very close by) a surveyor should plot its exact position prior to commencing works or purchase. Building over or near Wessex Water's apparatus is not normally permitted.

Centre: 382274.82, 86821.88

Scale = 1:1500

Metres 20 40 60 80






Dorset Green Tech Park 7

Winfrith Newburgh, Dorchester

Printed on : 29/01/2018 11:18



Information in this plan is provided for identification purposes only. No warranty as to accuracy is given or implied. The precise route of pipe work may not exactly match that shown. Wessex Water does not accept liability for inaccuracies.


Sewers and lateral drains adopted by Wessex Water under the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011 are to be plotted over time and may not yet be shown.

In carrying out any works, you accept liability for the cost of any repairs to Wessex Water apparatus damaged as a result of your works. You are advised to commence excavations using hand tools only. Mechanical digging equipment should not be used until pipe work has been precisely located.

If you are considering any form of building works and pipe work is shown within the boundary of your property or a property to be purchased (or very close by) a surveyor should plot its exact position prior to commencing works or purchase. Building over or near Wessex Water's apparatus is not normally permitted.

Centre: 382493.10, 86533.35

Scale = 1:1500





Dorset Green Tech Park 8

Winfrith Newburgh, Dorchester

Printed on : 29/01/2018 11:19

- WATER MAINS** Public Private
- Raw Water
- Abandoned
- Valve
- Hydrant
- PRV
- Meter
- SEWERS** Public - Section 104 - Private
- Foul
- Combined
- Surface
- Abandoned sewers
- OTHER WESSEX PIPES**
- Rising Mains
- Effluent Disposal Main
- Overflow
- NON-WESSEX PIPES**
- Private Rising Mains
- Converted Water Course
- Highway Drain

Information in this plan is provided for identification purposes only. No warranty as to accuracy is given or implied. The precise route of pipe work may not exactly match that shown. Wessex Water does not accept liability for inaccuracies.

Sewers and lateral drains adopted by Wessex Water under the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011 are to be plotted over time and may not yet be shown.

In carrying out any works, you accept liability for the cost of any repairs to Wessex Water apparatus damaged as a result of your works. You are advised to commence excavations using hand tools only. Mechanical digging equipment should not be used until pipe work has been precisely located.

If you are considering any form of building works and pipe work is shown within the boundary of your property or a property to be purchased (or very close by) a surveyor should plot its exact position prior to commencing works or purchase. Building over or near Wessex Water's apparatus is not normally permitted.

Centre: 382474.84, 86881.81

Scale = 1:1500
Metres 20 40 60 80





Dorset Green Park Tech 9

Enter any notes about the print here

WATER MAINS Public Private

Public Raw Water Abandoned Valve X Hydrant PRV Meter

SEWERS Public - Section 104 - Private

Foul Combined Surface Abandoned sewers OTHER WESSEX PIPES

Rising Mains Effluent Disposal Main Overflow NON-WESSEX PIPES Private Rising Mains Culverted Water Course Highway Drain


Information in this plan is provided for identification purposes only. No warranty as to accuracy is given or implied. The precise route of pipe work may not exactly match that shown. Wessex Water does not accept liability for inaccuracies. Sewers and lateral drains adopted by Wessex Water under the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011 are to be plotted over time and may not yet be shown. In carrying out any works, you accept liability for the cost of any repairs to Wessex Water apparatus damaged as a result of your works. You are advised to commence excavations using hand tools only. Mechanical digging equipment should not be used until pipe work has been precisely located. If you are considering any form of building works and pipe work is shown within the boundary of your property or a property to be purchased (or very close by) a surveyor should plot its exact position prior to commencing works or purchase. Building over or near Wessex Water's apparatus is not normally permitted.

Printed on: 05/02/2018 15:22




Centre: 382034.06 , 87100.61

Scale = 1:1500


Metres 20 40 60 80












MANHOLE SURVEY INSPECTION DATA SHEET

MANHOLE NO.	CONNECTIONS	INVERTS	PIPE DIA	COMMENTS	IMAGES
F093	<input type="checkbox"/>			MANHOLE FLOODED	
F1660	<input type="checkbox"/>			UNABLE TO LOCATE - AREA OVERGROWN	
F1960	<input type="checkbox"/>			MANHOLE FLOODED	
















MANHOLE SURVEY INSPECTION DATA SHEET

F2760	<input type="checkbox"/>	3630		MANHOLE FLOODED	
F2761	<input type="checkbox"/>			UNABLE TO LOCATE - AREA OVERGROWN	
F2860	<input type="checkbox"/>			UNABLE TO LIFT	
F2861	<input type="checkbox"/>			UNABLE TO LIFT	

MANHOLE SURVEY INSPECTION DATA SHEET

F2901		<div> <div>-</div> <div>0</div> <div>C1</div> </div>	1530	<div> <div>150</div> <div>150</div> <div>150</div> </div>				
F2903		<div> <div>-</div> <div>0</div> <div>C1</div> </div>	1530	<div> <div>150</div> <div>150</div> <div>150</div> </div>				
F2930		<div> <div>-</div> <div>0</div> <div>C1</div> <div>C2</div> </div>	1760	<div> <div>150</div> <div>150</div> <div>100</div> <div>150</div> </div>				









MANHOLE SURVEY INSPECTION DATA SHEET

F2971		1 O C1	1320	150 150 150		
SWMH6		1 O C1	2440 2440 2210	375 375 150		
SWMH10		1 O C1 C2 C3 C4	2350	675 675 300 150 300 150		
SWMH10-1		1 O	1140	300 300		
SWMH12		1 O C1 C2	2600	600 675 450 225		







MANHOLE SURVEY INSPECTION DATA SHEET

	0	C3		225		
SWMH12-1		1 0 C1 C2	2540	450 450 150 150		
SWMH12-2		1 0 C1 C2	2600	300 450 300		
SWMH12-3		1 0	1930	300 300		
SWMH12A		1 0	2275	225 225		
SWMH18		1 0 C1 C2 C3	2450	600 900 300 225 225		











MANHOLE SURVEY INSPECTION DATA SHEET

SWMH18-1		<div> <div>-</div> <div>0</div> <div>C1</div> </div>	2000	<div> <div>100</div> <div>300</div> <div>100</div> </div>				
SWMH18A		<div> <div>-</div> <div>0</div> </div>	2100	<div> <div>150</div> <div>225</div> </div>				
SWMH18B		<div> <div>-</div> <div>0</div> </div>	1880	<div> <div>225</div> <div>225</div> </div>				
SWMH19		<div> <div>-</div> <div>0</div> <div>C1</div> <div>C2</div> </div>	2380	<div> <div>675</div> <div>675</div> <div>500</div> <div>150</div> </div>				

MANHOLE SURVEY INSPECTION DATA SHEET

SWMH19-1					UNABLE TO LOCATE	
SWMH19-2		1 0 C1	2700	450 500 300		
SWMH20		1 0 C1 C2 C3	2300	675 675 300 150 300		
SWMH21		1 0 C1 C2	2300	600 675 300 300		
SWMH21-2		1 0 C1	2000	300 300 150		
		1		450		

MANHOLE SURVEY INSPECTION DATA SHEET

SWMH22		<div>0</div> <div>C1</div> <div>C2</div> <div>C3</div>	2400	<div>600</div> <div>500</div> <div>150</div> <div>350</div>				
SWMH22-1		<div>0</div> <div>C1</div>	2350	<div>500</div> <div>500</div> <div>150</div>				
SWMH22-2		<div>0</div> <div>C1</div> <div>C2</div> <div>C3</div>	1940	<div>500</div> <div>500</div> <div>150</div> <div>150</div> <div>500</div>				
SWMH23		<div>0</div> <div>C1</div> <div>C2</div>	1850	<div>300</div> <div>450</div> <div>300</div> <div>150</div>				